

















DX-SRV-VIR-01

DX-SRV-FIW-01

232

230

APC

APC

APC

APC

231

APC

DX-UPS-01

NETWORK

DX-SRV-FIW-01

Back-UPS
Pro 1500

APC

Back-UPS
Battery Pack

APC

DX-UPS-03

DX-SRV-VIR-01

Back-UPS
Pro 1500

APC

Back-UPS
Battery Pack

232

APC

DX-UPS-02

DX-SRV-NAS-01

Back-UPS
Pro 1500

Synology

STATUS

ALERT

eSATA

DX513

Synology

STATUS

ALERT

LAN1

LAN2

LAN3

LAN4

DX-SRV-NAS-01

DX-UPS-02

DX-SR-DBT-01

Back-UPS
Pro 1500

DS1813+



DX-SRV-DBT-01

228

DX-UPS-05
DX-SR-DBT-01

APC

Back-UPS
Pro 1500

ProLiant ML110 Gen9

5.781

DX-SR-DBT-01











Unprotected Line
(Input) from Power Source

Black/Red White/Black/Black Green
Hot/Pos Neutral/Neg/Hot Ground

The image shows the interior of an electrical control panel. Five Schneider Electric IC60N C50A circuit breakers are mounted in a row. Each breaker is a 3-pole device with a green handle and a label that reads "Schneider Electric IC60N C 50A". Below the handles, the text "C50 400V-6000[3]" is visible. The breakers are connected to a complex network of blue and black wires. Blue wires are connected to the top terminals of the breakers, while black wires are connected to the bottom terminals. The wires are bundled and routed through the panel. On the left and right sides of the panel, there are metal busbars with screws. At the top of the panel, there are terminal blocks with screws. A green wire is connected to one of the terminal blocks. The panel is made of white plastic and has a clean, organized appearance.



Item No.: 11-147-154
Product Name (Rosewill®): RSV-R4000
QTY. 1 SET
N.W. 12.5 KGS
G.W. 15.7 KGS
MEAS. 0.106 CBM

3 TB To

3 TB To

7200RPM / u/min
64MB / Mo Cache
SATA 3 6Gb/s

HGST

DESKSTAR[®] NAS

High Performance Hard Drive For Desktop NAS Systems
Stockage haute performance pour les périphériques NAS du bureau



7200 RPM
UP TO
20% FASTER
THAN OTHER 5400 RPM
HARD DRIVES

3 TB To

3 TB To

7200RPM / u/min
64MB / Mo Cache
SATA 3 6Gb/s


HGST

DESKSTAR[®] NAS

High Performance Hard Drive For Desktop NAS Systems
Stockage haute performance pour les périphériques NAS du bureau




7200 RPM
UP TO
20% FASTER
THAN OTHER 5400 RPM
HARD DRIVES






Cat.
5e
SFTP

CABLE



CABLE PARA CONEXION DE DATOS CATEGORIA 5E



**CABLE DE RED SFTP
CAT - 5E**

CODIGO RCSFTP-5G



CODIGO: RCSFTP-5G
ARTICULO: CABLE SFTP CAT 5e
N.W: 1 Kg
G.V: 1 Kg
DIMENSION: 20x20x20 cm
CANTIDAD: 100 unidades



Cat.
5e
SFTP

CABLE



CABLE PARA CONEXION DE DATOS CATEGORIA 5E



**CABLE DE RED SFTP
CAT - 5E**

CODIGO RCSFTP-5G



CODIGO: RCSFTP-5G
ARTICULO: CABLE SFTP CAT 5e
N.W: 1 Kg
G.V: 1 Kg
DIMENSION: 20x20x20 cm
CANTIDAD: 100 unidades



Cat.
5e
SFTP

CABLE



CABLE PARA CONEXION DE DATOS CATEGORIA 5E



**CABLE DE RED SFTP
CAT - 5E**

CODIGO RCSFTP-5G



CODIGO: RCSFTP-5G
ARTICULO: CABLE SFTP CAT 5e
N.W: 1 Kg
G.V: 1 Kg
DIMENSION: 20x20x20 cm
CANTIDAD: 100 unidades

